



WARRANTY & RATING



SPECIFICATIONS

- Wattage: 5W
- Voltage: 12V-24V AC/DC
- Luminous Flux: 400 Lumen
- Beam Angle: 180 degrees
- Color Rendering Index (CRI): Ra≥80
- Lifespan: 50,000 Hours
- Light Source: LED
- Color Temperature (CCT): Available in 3000K and 4000K models
- Waterproof Rating: IP65
- Operating Temperature: -13°F to 140°F
- Material: Die-casting aluminum

PRODUCT DESCRIPTION

The LEONLITE LED Landscape Bollard Light seamlessly combines functionality and aesthetics. Its integrated LED source ensures consistent, low-maintenance lighting, and the robust glass cover elegantly scatters light to reduce glare, making it ideal for broader areas.

FEATURES & BENEFITS

- Softly diffuses light, glare-free, enhances ambience.
- 11.18-inch height for extensive, unblocked illumination
- Low-maintenance LED, energy-efficient with high brightness.
- Sturdy and waterproof, suitable for various outdoor settings.
- Installation-friendly, complete with necessary accessories.
- Reliable with a long lifespan, supported by a 3-year warranty.

POWER AND ELECTRICAL FEATURES

- This lighting fixture operates on a low voltage of 12V-24V AC/DC, ensuring energy efficiency and safety.
- It's equipped with a UL-certified SPT-1W AWG 20# wire, capable of withstanding temperatures up to 221°F, guaranteeing reliability and compliance with high standards.
- The fixture includes an exposed wire length of approximately 4.9 feet (1.5 meters), marked with a wire label for easy identification and installation.

DESIGN AND STRUCTURE

- **Elegant Glass Cover:** The glass cover delicately diffuses light, reducing glare and enhancing the beauty of outdoor spaces.
- **Ideal for Open Spaces:** Its robust and prominent design makes it a perfect fit for wide, open areas.


ADDITIONAL COMPONENTS

- all-in-one lighting solution, No extra component.

LED AND OPTICAL PERFORMANCE


- **Efficient LED Technology:** Uses 24 SMD2835 LED beads, known for their energy efficiency and bright output.
- **Brightness and Power:** Delivers 400 lumens with a 5W power usage, balancing brightness and energy consumption.
- **Color Variants:** Available in two color temperature models - 3000K for a warm ambiance and 4000K for a cooler tone, catering to different lighting preferences.

PRODUCT DIAGRAM




Size in mm
 1" = 25.4mm.

PHOTOMETRICS



Lux-Distance Curve



Beam Angle: 227.20°

360° GentleGlow

Soft, all-around lighting for expansive landscape enhancement.



Piramide del Tempio LED Path Light



O-ring Unico/Colorato LED Path Light



Stella Bitta LED Path Light

EdgeGlow OneWay Light

Precise, one-sided illumination for clear path lighting without overspill.



Crescente LED Path Light



Escavatori LED Path Light



Petali Rovesciato LED Path Light

NatureDots FlexGarden Light

Brighten gardens and paths, ground or surface mount.




Emisferi Sky-up LED Path Light

Designer Crafted Landscape Lighting

Function meets art, illuminating spaces with stylish, decorative designs.



Fulmine Gold LED Path Light



Luce Fiamma LED Path Light




Quadra Rotondo LED Path Light

SmartLink


Wireless control for easy, smart outdoor lighting.



O-ring Colorato LED Path Light - Smart Control



XGEN™ Dual-spot LED Path Light




XGEN™ Smart LED Path Light

All Color Options

some models may have limited choices.



Brass Yellow



Ebony Black



oiled rubbed bronze

Compatible Accessories



Outdoor Transformer, AC to DC, 12V 60W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 100W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 120W, Timer & Photocell



LeonLite® Waterproof Wire Nuts - Large



LeonLite® Waterproof Wire Nuts - Medium



Low Voltage Landscape Lighting Cable, 100ft, 16/2



LeonLite® Landscape Light Wire Connector



LeonLite® EasyConnect Wire Connector