



WARRANTY & RATING



SPECIFICATIONS

- Wattage: 3W
- Voltage: AC/DC 12-15V
- Luminous Flux: 103lm
- Beam Angle: 160°
- Color Rendering Index (CRI): Ra≥80
- Lifespan: 50,000hrs
- Light Source: LED
- Color Temperature (CCT): 3000K Warm White
- Waterproof Rating: IP65
- Operating Temperature: -22°F-104°F
- Material: Die-casted aluminum & PC

PRODUCT DESCRIPTION

LEONLITE's LED Pathway Lights feature a modern, dual-side glowing design, creating a captivating circular glow that enhances visual comfort and landscape aesthetics while providing consistent, efficient lighting. Perfect for paths, gardens, and artistic outdoor spaces.

FEATURES & BENEFITS

- Artistically designed to serve as a focal point, enhancing aesthetic appeal day and night.
- Unique dual-side lighting for ambiance and safety.
- Bright, anti-glare illumination for clear visibility.
- Simple installation with included 3.2ft wire.
- Long-lasting with 50,000 hours of light and IP65 waterproof.
- Assured with a 2-year warranty.

POWER AND ELECTRICAL FEATURES

- Operates on a low voltage range of 12V-15V AC/DC, ensuring safety and energy efficiency.
- With a power output of 3W and a current requirement $\leq 270\text{mA}$, it's designed for optimal energy use.
- The included 1-meter, 20AWG SPT-1W cable offers convenient installation flexibility.

DESIGN AND STRUCTURE

- Features dual-side lighting, casting a butterfly-like light effect on the ground, adding a whimsical touch to the landscape.
- When lit, the central circular cut-out is illuminated, creating a glowing circular shape within the landscape, easing visual fatigue from repetitive patterns.
- The design emphasizes the light fixture as a decorative focal point, enhancing its artistic value in settings lacking vegetation, like rockeries or pebble paths.
- Features a sleek black design, with the body and light cover made from durable die-cast aluminum and PC materials, respectively.


ADDITIONAL COMPONENTS

- Comes with a sturdy aluminum alloy ground spike ($\Phi 50 \times 158\text{mm}$) with a black powder coating, enhancing installation stability and outdoor durability.

LED AND OPTICAL PERFORMANCE

- Equipped with six LED beads, driven by a constant current of 300mA, ensuring consistent and reliable performance.
- Offers 103 lumens of warm 3000K light, perfect for creating a cozy and well-lit outdoor environment.



PRODUCT DIAGRAM



Size in mm
 1" = 25.4mm.

PHOTOMETRICS

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Flux out: 8.623 lm

Height	Eavg, Emax	Angle: 39.68deg	Diameter
1m	20.72, 55.75lx		72.16cm
2m	5.180, 13.94lx		144.31cm
3m	2.302, 6.194lx		216.47cm
4m	1.295, 3.484lx		288.62cm
5m	0.8287, 2.230lx		360.78cm
6m	0.5755, 1.549lx		432.94cm
7m	0.4228, 1.138lx		505.09cm
8m	0.3237, 0.871lx		577.25cm
9m	0.2558, 0.688lx		649.40cm
10m	0.2072, 0.557lx		721.56cm

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

360° GentleGlow


Soft, all-around lighting for expansive landscape enhancement.



Piramide del Tempio LED Path Light



O-ring Unico/Colorato LED Path Light



Stella Bitta LED Path Light

EdgeGlow OneWay Light

Precise, one-sided illumination for clear path lighting without overspill.



Crescente LED Path Light



Escavatori LED Path Light



Petali Rovesciato LED Path Light

NatureDots FlexGarden Light

Brighten gardens and paths, ground or surface mount.




Emisferi Sky-up LED Path Light

Designer Crafted Landscape Lighting

Function meets art, illuminating spaces with stylish, decorative designs.



Fulmine Gold LED Path Light



Luce Fiamma LED Path Light




Quadra Rotondo LED Path Light

SmartLink


Wireless control for easy, smart outdoor lighting.



O-ring Colorato LED Path Light - Smart Control



XGEN™ Dual-spot LED Path Light




XGEN™ Smart LED Path Light

All Color Options

some models may have limited choices.



Brass Yellow



Ebony Black



oiled rubbed bronze

Compatible Accessories



Outdoor Transformer, AC to DC, 12V 60W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 100W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 120W, Timer & Photocell



LeonLite® Waterproof Wire Nuts - Large



LeonLite® Waterproof Wire Nuts - Medium



Low Voltage Landscape Lighting Cable, 100ft, 16/2



LeonLite® Landscape Light Wire Connector



LeonLite® EasyConnect Wire Connector